

	Hits	Search Text	DBs
1	727	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula\$5	DERWENT
2	129	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula\$5 and fram\$5	DERWENT
3	0	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula\$5 and fram\$5 and (ppm and qam)	DERWENT
4	3	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and modula\$5 and fram\$5 and ((ppm or (pulse adj position adj modulat\$5)) or (qam or (quadrature adj amplitude adj modulat\$5)))	DERWENT
5	4	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and (modula\$5 near5 typ\$5) and fram\$5	DERWENT
6	25	(W04-P01C1, W04-P01C, W03-A10A, W03-A08A1A, W03-A06C, W03-A04H5 W02-K02A1, W02-K02).emcd. and (modula\$5 near5 typ\$5)	DERWENT
7	3	"6717934".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	("6445745" "6463042").PN.	USPAT
9	0	"6717934".URPN.	USPAT
10	6	("4829543" "5408504" "5602868" "5673291" "5828560" "5987068").PN.	USPAT
11	307953	pulse adj positiona dj modulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	724356	quadrature adj amplitude modula\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	731100	pulse adj position dj modula\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1755	375/295.ccls. or 375/261.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	20122573	@ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2	"6212240".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2	"6208663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2	"6741659".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	2	"6603808".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	4	"6212240".pn. or "6208663".pn. or "6741659".pn. or "6603808".pn.	USPAT
21	0	mac with initiali\$5 with scramb\$5 with bit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	((media adj access adj control\$5) with initiali\$5 with scramb\$5 with bit\$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	3785	(media adj access adj control\$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	4	((media adj access adj control\$5) with scram\$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1215	((media adj access adj control\$5) with layer\$5) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	17	((media adj access adj control\$5) with layer\$5 with (encod\$5 or scram\$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	23	("5526399" "5533004" "5559810" "5577087" "5600663" "5638384" "5699365" "5701294" "5722051" "5757813" "5764699" "5828672" "5828677" "5844918" "5909469" "5923642" "5940439" "5946320" "5983382" "5991286" "6011950" "6021516" "6044485").PN.	USPAT
28	8	"6208663".URPN.	USPAT
29	1	((media adj access adj control\$5) with layer\$5 with (scram\$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	16	((media adj access adj control\$5) with layer\$5 with (enco\$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	52	(375/295.ccls. or 375/261.ccls.) and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	(375/295.ccls. or 375/261.ccls.) and ((media adj access adj control\$5) with layer\$5 with (enco\$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	"qam by ppm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	"qpsk by ppm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	319	hpna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	49	hpna and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	15	(qam with pulse with position) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	3	(qam with pulse with position) and hpna and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	2	"4621336".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	2	"5297181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	2	"5633633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	2	"5872815".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	2	"6160443".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	2	"6252453".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2	"6313881".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	7	"4621336".pn. or "5297181".pn. or "5633633".pn. or "5872815".pn. or "6160443".pn. or "6252453".pn. or "6313881".pn.	USPAT
47	0	((sequenc\$7 or bit\$7 or informat\$7 or data) near6 before near6 data near6 after near6 preamble) with (initializ\$7 near6 scrambl\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	0	((sequenc\$7 or bit\$7 or informat\$7 or data) near6 after near6 preamble near6 before near6 data) with (initializ\$7 near6 scrambl\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	0	(375/295.ccls. or 375/261.ccls.) and ((media adj access adj control\$5) with layer\$5 with (enco\$5)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	0	(375/295, 375/261, 375/368, 375/365, 375/362, 375/354, 375/377, 370/509, 370/503, 370/480, 370/464).ccls. and @ad<"20010124" and (((media adj access adj control\$5) with layer\$5 with (enco\$5)) or (initializ\$5 near2 scrambl\$5 near6 (bit or sequenc\$5) near6 (position\$5or locat\$5 or befor\$5 or after) near6 preamb1 near6 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	(375/295, 375/261, 375/260, 375/259, 375/368, 375/365, 375/362, 375/354, 375/377, 370/509, 370/503, 370/480, 370/464).ccls. and @ad<"20010124" and (((media adj access adj control\$5) with layer\$5 with (enco\$5)) or (initializ\$5 near2 scrambl\$5 near6 (bit or sequenc\$5) near6 (position\$5or locat\$5 or befor\$5 or after) near6 preamb1 near6 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	0	(375/295, 375/261, 375/260, 375/259, 375/368, 375/365, 375/362, 375/354, 375/377, 370/509, 370/503, 370/480, 370/464).ccls. and (((media adj access adj control\$5) with layer\$5 with (enco\$5)) or (initializ\$5 near2 scrambl\$5 near6 (bit or sequenc\$5) near6 (position\$5or locat\$5 or befor\$5 or after) near6 preamb1 near6 data)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	0	(375/295, 375/261, 375/260, 375/259, 375/368, 375/365, 375/362, 375/354, 375/377, 375/377, 375/239, 375/261, 375/295, 375/298, 370/509, 370/503, 370/480, 370/464).ccls. and (((media adj access adj control\$5) with layer\$5 with (enco\$5)) or (initializ\$5 near2 scrambl\$5 near6 (bit or sequenc\$5) near6 (position\$5or locat\$5 or befor\$5 or after) near6 preamb1 near6 data)) and @ad<"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB